



BN 1206 — Hex socket head cap screws with extremely low head




Additional information	Fasteners to the given specification have a reduced loadability due to the head geometry according to ISO 898-1.
Headform	Cylindrical extremely low
Drive	Hexagon socket
Thread	fully threaded
Material	Steel
Surface	black
Property class	010.9

BN 1206 — Hex socket head cap screws with extremely low head




Article No.	d1	L	d2	k max.	a max.	s	t max.
3555966	M2	4	4	1,27	1,2	1,3	1,2
3555967	M2	5	4	1,27	1,2	1,3	1,2
3555968	M2	6	4	1,27	1,2	1,3	1,2
3555969	M2	8	4	1,27	1,2	1,3	1,2
3555970	M2	10	4	1,27	1,2	1,3	1,2
3555971	M2,5	4	5	1,37	1,4	1,3	1,5
3555972	M2,5	5	5	1,37	1,4	1,3	1,5
3555973	M2,5	6	5	1,37	1,4	1,3	1,5
3555976	M2,5	8	5	1,37	1,4	1,3	1,5
3555978	M2,5	10	5	1,37	1,4	1,3	1,5
3555979	M2,5	12	5	1,37	1,4	1,3	1,5
3555981	M3	5	6	1,37	1,5	1,5	2
3555982	M3	6	6	1,37	1,5	1,5	2
3555983	M3	8	6	1,37	1,5	1,5	2
3555984	M3	10	6	1,37	1,5	1,5	2
3555985	M3	12	6	1,37	1,5	1,5	2
3555986	M3	16	6	1,37	1,5	1,5	2
1415549	M4	6	8	1,5	2,1	2	2,5
1415557	M4	8	8	1,5	2,1	2	2,5
1415565	M4	10	8	1,5	2,1	2	2,5
3055501	M4	12	8	1,5	2,1	2	2,5
3646034	M4	16	8	1,5	2,1	2	2,5
3646035	M4	20	8	1,5	2,1	2	2,5
1383116	M5	6	9	1,5	2,2	3	3
1415573	M5	8	9	1,5	2,2	3	3
1415581	M5	10	9	1,5	2,2	3	3
1415603	M5	12	9	1,5	2,2	3	3

BN 1206 — Hex socket head cap screws with extremely low head



Article No.	d1	L	d2	k max.	a max.	s	t max.
1415611	M5	16	9	1,5	2,2	3	3
1415638	M5	20	9	1,5	2,2	3	3
3055503	M5	25	9	1,5	2,2	3	3
3646036	M5	30	9	1,5	2,2	3	3
3646037	M5	35	9	1,5	2,2	3	3
3646038	M5	40	9	1,5	2,2	3	3
1383078	M6	6	10	1,5	2,4	3	4
1415646	M6	8	10	1,5	2,4	3	4
1415654	M6	10	10	1,5	2,4	3	4
1415662	M6	12	10	1,5	2,4	3	4
1415670	M6	16	10	1,5	2,4	3	4
1415689	M6	20	10	1,5	2,4	3	4
1415697	M6	25	10	1,5	2,4	3	4
3055505	M6	30	10	1,5	2,4	3	4
3646039	M6	35	10	1,5	2,4	3	4
3646040	M6	40	10	1,5	2,4	3	4
3646041	M6	50	10	1,5	2,4	3	4
1415700	M8	8	13	1,5	3,2	4	5
1415719	M8	10	13	1,5	3,2	4	5
1415727	M8	12	13	1,5	3,2	4	5
1415735	M8	16	13	1,5	3,2	4	5
1415743	M8	20	13	1,5	3,2	4	5
1415751	M8	25	13	1,5	3,2	4	5
1415778	M8	30	13	1,5	3,2	4	5
3646042	M8	35	13	1,5	3,2	4	5
3055506	M8	40	13	1,5	3,2	4	5
3646043	M8	45	13	1,5	3,2	4	5

BN 1206 — Hex socket head cap screws with extremely low head



Article No.	d1	L	d2	k max.	a max.	s	t max.
3646044	M8	50	13	1,5	3,2	4	5
1415786	M10	10	16	1,5	3,5	5	6
1415794	M10	12	16	1,5	3,5	5	6
1415808	M10	16	16	1,5	3,5	5	6
1415816	M10	20	16	1,5	3,5	5	6
1415824	M10	25	16	1,5	3,5	5	6
1415832	M10	30	16	1,5	3,5	5	6
3646045	M10	35	16	1,5	3,5	5	6
3055507	M10	40	16	1,5	3,5	5	6